Brain Research, 419 (1987) 408–410
Elsevier

Author Index

Adams, J.C., Mroz, E.A. and Sewell, W.F., A possible neurotransmitter role for CGRP in a hair-cell sensory organ, 347
Ahokas, R.A., see Shoham, S., 223
Allen, D.L., see Frankfurt, M., 216
Amir, S., Meyerovitch, J. and Shechter, Y., Vanadate ions: central nervous system action on glucoregulation, 392
Atchison, W.D. and O'Leary, S.M., BAY K 8644 increases release of acetylcholine at the murine neuromuscular junction, 315
Axt, K.J., see Commins, D.L., 253

Basbaum, A.I., Godefroy, F. and Weil-Fugazza, J., A new microdissection technique for regional biochemical analysis of the rat spinal cord: serotonin, norepinephrine, dopamine and uric acid, 229
Baskys, A., Niesen, C.E. and Carlen, P.L., Altered modulatory actions of serotonin on dentate granule cells of aged rats, 112
Beaudet, A., see Frankfurt, M., 216
Bédard, P.J., see Martel, J.-C., 403
Belkin, M., see Lavie, V., 166
Ben-Basat, S., see Lavie, V., 166
Besson, J.M., see Rivot, J.P., 201
Blair, J.R., see Turner, J.E., 46
Blanchard, J.S., see Cubells, J.F., 208
Blatteis, C.M., see Shoham, S., 223
Blessing, W.W., Hedger, S.C., Joh, T.H. and Willoughby, J.O., Neurons in the area postrema are the only catecholamine-synthesizing cells in the medulla or pons with projections to the rostral ventrolateral medulla (C_1-area) in the rabbit, 336
Boer, G.J., see Kruisbrink, J., 76
Boyet, S., see Nehlig, A., 272
Bradley, R.M., see Gurkan, S., 287
Britto, L.R.G., see Natal, C.L., 320
Brooks, B.A., Eidelberg, E. and Morgan, W.W., Behavioral and biochemical studies in monkeys made hemiparkinsonian by MPTP, 329
Busciglio, J., Ferreira, A., Steward, O. and Cáceres, A., An immunocytochemical and biochemical study of the microtubule-associated protein Tau during post-lesion afferent reorganization in the hippocampus of adult rats, 244
Butcher, S.P., Roberts, P.J. and Collins, J.F., DL-2-[3,4-^{3}H]Amino-4-phosphonobutyrate binding sites in the rat hippocampus: distribution and possible physiological role, 294
Byers, M.R., Mecifi, K.B. and Kimberly, C.L., Numerous nerves with calcitonin gene-related peptide-like immunoreactivity innervate junctional epithelium of rats, 311

Cáceres, A., see Busciglio, J., 244
Carlen, P.L., see Baskys, A., 112
Chappel, E.T., see Turner, J.E., 46
Chen, D., see Jen, P.H.-S., 7
Cho, E.Y.P. and So, K.-F., Rate of regrowth of damaged retinal ganglion cell axons regenerating in a peripheral nerve graft in adult hamsters, 369
Cohen, R.S., see Shah, J., 1
Collins, J.F., see Butcher, S.P., 294
Commins, D.L., Axt, K.J., Vosmer, G. and Seiden, L.S., Endogenously produced 5,6-dihydroxytryptamine may mediate the neurotoxic effects of para-chloroamphetamine, 253
Cornett, C.M., see Glotzbach, S.F., 279
Cortés, R., see Palacios, J.M., 65
Crepel, F., see Hamon, B., 379
Cubells, J.F., Blanchard, J.S. and Makman, M.H., The effects of in vivo inactivation of GABA-transaminase and glutamic acid decarboxylase on levels of GABA in the rat retina, 208
Cullheim, S., see Ulfhake, B., 387

Dandona, P., see Jeremy, J., 364
Daval, J.-L., see Nehlig, A., 272
Debono, M., see Hamon, B., 379
Desroches, A., see Weidner, C., 357
Doron, A., see Lavie, V., 166

Eidelberg, E., see Brooks, B.A., 329

Feasby, T.E., Gilbert, J.J., Hahn, A.F. and Neilson, M., Complement depletion suppresses Lewis rat experimental allergic neuritis, 97
Ferreira, A., see Busciglio, J., 244
Frankfurt, M., Allen, D.L., Luine, V.N. and Beaudet, A., Temporal effects of intrahypothalamic 5,7-dihydroxytryptamine: relationship between serotonin levels and [^{3}H]serotonin binding, 216
Fukushima, N., see Ueda, H., 197

Gayton, R.J., see Taylor, D.C.M., 352
Gilbert, J.J., see Feasby, T.E., 97
Glotzbach, S.F., Cornett, C.M. and Heller, H.C., Activity of suprachiasmatic and hypothalamic neurons during sleep and wakefulness in the rat, 279
Godefroy, F., see Basbaum, A.I., 229
Grillner, S., see Moore, L.E., 397
Gurkan, S. and Bradley, R.M., Autonomic control of von Ebner's lingual salivary glands and implications for taste sensation, 287

Hahn, A.F., see Feasby, T.E., 97
Hama, K., see Kosaka, T., 119
Hamon, B., Crepel, F. and Debono, M., Voltage-dependency of the responses of cerebellar Purkinje cells to excitatory amino acids, 379
Harding, J.W., see Rogulja, I., 333
Hartung, K. and Hermann, A., Differential effects of pentylenetetrazole on ion currents of *Aplysia* neurones, 55
Hedger, S.C., see Blessing, W.W., 336
Heizmann, C.W., see Kosaka, T., 119
Heller, H.C., see Glotzbach, S.F., 279
Hermann, A., see Hartung, K., 55
Hilaire, G., see Saether, K., 87
Hill, R.H., see Moore, L.E., 397
Hökfelt, T., see Ulfhake, B., 387
Hoyer, D., see Palacios, J.M., 65

Brain Research, 419 (1987) 408–410
Elsevier

Author Index

Adams, J.C., Mroz, E.A. and Sewell, W.F., A possible neurotransmitter role for CGRP in a hair-cell sensory organ, 347
Ahokas, R.A., see Shoham, S., 223
Allen, D.L., see Frankfurt, M., 216
Amir, S., Meyerovitch, J. and Shechter, Y., Vanadate ions: central nervous system action on glucoregulation, 392
Atchison, W.D. and O'Leary, S.M., BAY K 8644 increases release of acetylcholine at the murine neuromuscular junction, 315
Axt, K.J., see Commins, D.L., 253

Basbaum, A.I., Godefroy, F. and Weil-Fugazza, J., A new microdissection technique for regional biochemical analysis of the rat spinal cord: serotonin, norepinephrine, dopamine and uric acid, 229
Baskys, A., Niesen, C.E. and Carlen, P.L., Altered modulatory actions of serotonin on dentate granule cells of aged rats, 112
Beaudet, A., see Frankfurt, M., 216
Bédard, P.J., see Martel, J.-C., 403
Belkin, M., see Lavie, V., 166
Ben-Basat, S., see Lavie, V., 166
Besson, J.M., see Rivot, J.P., 201
Blair, J.R., see Turner, J.E., 46
Blanchard, J.S., see Cubells, J.F., 208
Blatteis, C.M., see Shoham, S., 223
Blessing, W.W., Hedger, S.C., Joh, T.H. and Willoughby, J.O., Neurons in the area postrema are the only catecholamine-synthesizing cells in the medulla or pons with projections to the rostral ventrolateral medulla (C_1-area) in the rabbit, 336
Boer, G.J., see Kruisbrink, J., 76
Boyet, S., see Nehlig, A., 272
Bradley, R.M., see Gurkan, S., 287
Britto, L.R.G., see Natal, C.L., 320
Brooks, B.A., Eidelberg, E. and Morgan, W.W., Behavioral and biochemical studies in monkeys made hemiparkinsonian by MPTP, 329
Busciglio, J., Ferreira, A., Steward, O. and Cáceres, A., An immunocytochemical and biochemical study of the microtubule-associated protein Tau during post-lesion afferent reorganization in the hippocampus of adult rats, 244
Butcher, S.P., Roberts, P.J. and Collins, J.F., DL-2-[3,4-^{3}H]Amino-4-phosphonobutyrate binding sites in the rat hippocampus: distribution and possible physiological role, 294
Byers, M.R., Mecifi, K.B. and Kimberly, C.L., Numerous nerves with calcitonin gene-related peptide-like immunoreactivity innervate junctional epithelium of rats, 311

Cáceres, A., see Busciglio, J., 244
Carlen, P.L., see Baskys, A., 112
Chappel, E.T., see Turner, J.E., 46
Chen, D., see Jen, P.H.-S., 7
Cho, E.Y.P. and So, K.-F., Rate of regrowth of damaged retinal ganglion cell axons regenerating in a peripheral nerve graft in adult hamsters, 369
Cohen, R.S., see Shah, J., 1
Collins, J.F., see Butcher, S.P., 294
Commins, D.L., Axt, K.J., Vosmer, G. and Seiden, L.S., Endogenously produced 5,6-dihydroxytryptamine may mediate the neurotoxic effects of para-chloroamphetamine, 253
Cornett, C.M., see Glotzbach, S.F., 279
Cortés, R., see Palacios, J.M., 65
Crepel, F., see Hamon, B., 379
Cubells, J.F., Blanchard, J.S. and Makman, M.H., The effects of in vivo inactivation of GABA-transaminase and glutamic acid decarboxylase on levels of GABA in the rat retina, 208
Cullheim, S., see Ulfhake, B., 387

Dandona, P., see Jeremy, J., 364
Daval, J.-L., see Nehlig, A., 272
Debono, M., see Hamon, B., 379
Desroches, A., see Weidner, C., 357
Doron, A., see Lavie, V., 166

Eidelberg, E., see Brooks, B.A., 329

Feasby, T.E., Gilbert, J.J., Hahn, A.F. and Neilson, M., Complement depletion suppresses Lewis rat experimental allergic neuritis, 97
Ferreira, A., see Busciglio, J., 244
Frankfurt, M., Allen, D.L., Luine, V.N. and Beaudet, A., Temporal effects of intrahypothalamic 5,7-dihydroxytryptamine: relationship between serotonin levels and [^{3}H]serotonin binding, 216
Fukushima, N., see Ueda, H., 197

Gayton, R.J., see Taylor, D.C.M., 352
Gilbert, J.J., see Feasby, T.E., 97
Glotzbach, S.F., Cornett, C.M. and Heller, H.C., Activity of suprachiasmatic and hypothalamic neurons during sleep and wakefulness in the rat, 279
Godefroy, F., see Basbaum, A.I., 229
Grillner, S., see Moore, L.E., 397
Gurkan, S. and Bradley, R.M., Autonomic control of von Ebner's lingual salivary glands and implications for taste sensation, 287

Hahn, A.F., see Feasby, T.E., 97
Hama, K., see Kosaka, T., 119
Hamon, B., Crepel, F. and Debono, M., Voltage-dependency of the responses of cerebellar Purkinje cells to excitatory amino acids, 379
Harding, J.W., see Rogulja, I., 333
Hartung, K. and Hermann, A., Differential effects of pentylenetetrazole on ion currents of *Aplysia* neurones, 55
Hedger, S.C., see Blessing, W.W., 336
Heizmann, C.W., see Kosaka, T., 119
Heller, H.C., see Glotzbach, S.F., 279
Hermann, A., see Hartung, K., 55
Hilaire, G., see Saether, K., 87
Hill, R.H., see Moore, L.E., 397
Hökfelt, T., see Ulfhake, B., 387
Hoyer, D., see Palacios, J.M., 65

Hyman, S., McComb, J.G., Megerdichian, L. and Weiss, M.H., Blood–cerebrospinal fluid barrier alteration following intraventricularly administered cholera toxin, 104

Inagaki, C., Oda, W., Kondo, K. and Kusumi, M., Histochemical demonstration of Cl^--ATPase in rat spinal motoneurons, 375

Jarry, H.D., see Lookingland, K.J., 303
Jen, P.H.-S., Sun, X., Chen, D. and Teng, H., Auditory space representation in the inferior colliculus of the FM bat, *Eptesicus fuscus*, 7
Jeremy, J., Murphy, S., Morrow, C., Pearce, B. and Dandona, P., Phorbol ester stimulation of prostanoid synthesis by cultured astrocytes, 364
Joh, T.H., see Blessing, W.W., 336
Johansen, J., see Yang, J., 324

Kano, Y. and Starr, A., Temporal relationship between single unit activity in superior olivary complex and scalp-derived auditory brainstem response in guinea pig, 262
Kato, J., see Miyamoto, M., 19
Katsumaru, H., see Kosaka, T., 119
Kimberly, C.L., see Byers, M.R., 311
Kirpitchnikova, E., see Weidner, C., 357
Kleinhaus, A.L., see Yang, J., 324
Koehm, S., see Yang, J., 324
Kondo, K., see Inagaki, C., 375
Kosaka, T., Katsumaru, H., Hama, K., Wu, J.-Y. and Heizmann, C.W., GABAergic neurons containing the Ca^{2+}-binding protein parvalbumin in the rat hippocampus and dentate gyrus, 119
Krueger, J.M., see Shoham, S., 223
Kruisbrink, J., Mirmiran, M., Van der Woude, T.P. and Boer, G.J., Effects of enhanced cerebrospinal fluid levels of vasopressin, vasopressin antagonist or vasoactive intestinal polypeptide on circadian sleep–wake rhythm in the rat, 76
Kung, M.-P. and Roth, J.A., Cellular localization of soluble and membrane-bound forms of arylsulfatase in rat brain, 141
Kusumi, M., see Inagaki, C., 375

Lakher, M. and Wurtman, R.J., In vivo synthesis of phosphatidylcholine in rat brain via the phospholipid methylation pathway, 131
Lavie, V., Doron, A., Solomon, A., Lobel, D., Belkin, M., Ben-Basat, S., Sharma, S. and Schwartz, M., Morphological response of injured adult rabbit optic nerve to implants containing media conditioned by growing optic nerves, 166
Leung, L.-W.S., Hippocampal electrical activity following local tetanization. I. Afterdischarges, 173
Lobel, D., see Lavie, V., 166
Lookingland, K.J., Jarry, H.D. and Moore, K.E., The metabolism of dopamine in the median eminence reflects the activity of tuberoinfundibular neurons, 303
Luine, V.N., see Frankfurt, M., 216

Makman, M.H., see Cubells, J.F., 208
Malaisse, W.J. and Malaisse-Lagae, F., Anomeric specificity of D-glucose metabolism in rat brain cells, 147
Malaisse-Lagae, F., see Malaisse, W.J., 147
Martel, J.-C., St-Pierre, S., Bédard, P.J. and Quirion, R., Comparison of [^{125}I]Bolton-Hunter neuropeptide Y binding sites in the forebrain of various mammalian species, 403
Martin, L.L., Neale, R.F. and Wood, P.L., Down-regulation of tryptamine receptors following chronic administration of clorgyline, 239
McComb, J.G., see Hyman, S., 104
Mecifi, K.B., see Byers, M.R., 311
Megerdichian, L., see Hyman, S., 104
Meyerovitch, J., see Amir, S., 392
Miceli, D., see Weidner, C., 357
Miller, M.S., see Oaklander, A.L., 39
Mirmiran, M., see Kruisbrink, J., 76
Miyamoto, M., Kato, J., Narumi, S. and Nagaoka, A., Characteristics of memory impairment following lesioning of the basal forebrain and medial septal nucleus in rats, 19
Monteau, R., see Saether, K., 87
Moore, K.E., see Lookingland, K.J., 303
Moore, L.E., Hill, R.H. and Grillner, S., Voltage clamp analysis of lamprey neurons — role of *N*-methyl-D-aspartate receptors in fictive locomotion, 397
Morgan, W.W., see Brooks, B.A., 329
Morrow, C., see Jeremy, J., 364
Mroz, E.A., see Adams, J.C., 347
Murphy, S., see Jeremy, J., 364

Nagaoka, A., see Miyamoto, M., 19
Narumi, S., see Miyamoto, M., 19
Natal, C.L. and Britto, L.R.G., The pretectal nucleus of the optic tract modulates the direction selectivity of accessory optic neurons in rats, 320
Neal, J.W., Pearson, R.C.A. and Powell, T.P.S., The corticocortical connections of area 7b, PF, in the parietal lobe of the monkey, 341
Neale, R.F., see Martin, L.L., 239
Nehlig, A., Daval, J.-L., Pereira de Vasconcelos, A. and Boyet, S., Caffeine–diazepam interaction and local cerebral glucose utilization in the conscious rat, 272
Neilson, M., see Feasby, T.E., 97
Niesen, C.E., see Baskys, A., 112
Nishi, S., see Yoshimura, M., 383

Oaklander, A.L., Miller, M.S. and Spencer, P.S., Early changes in degenerating mouse sciatic nerve are associated with endothelial cells, 39
Oda, W., see Inagaki, C., 375
O'Leary, S.M., see Atchison, W.D., 315
Ory-Lavollée, N.L., see Rivot, J.P., 201

Palacios, J.M., Hoyer, D. and Cortés, R., α_1-Adrenoceptors in the mammalian brain: similar pharmacology but different distribution in rodents and primates, 65
Pant, H.C., see Shah, J., 1
Pearce, B., see Jeremy, J., 364
Pearson, R.C.A., see Neal, J.W., 341
Pereira de Vasconcelos, A., see Nehlig, A., 272
Polosa, C., see Yoshimura, M., 383
Powell, T.P.S., see Neal, J.W., 341

Quirion, R., see Martel, J.-C., 403

Reid, A., see Sawynok, J., 156
Repérant, J., see Weidner, C., 357
Rio, J.P., see Weidner, C., 357
Ritter, S., see Rogulja, I., 333
Rivot, J.P., Ory-Lavollée, N.L. and Besson, J.M., In vivo electrochemical detection of 5-hydroxyindoles in the dorsal horn of the spinal cord: the contribution of uric acid to the

voltammograms, 201
Roberts, P.J., see Butcher, S.P., 294
Rogulja, I., Harding, J.W. and Ritter, S., Reduction of ^{125}I-angiotensin II binding sites in rat brain following monosodium glutamate treatment, 333
Roth, J.A., see Kung, M.-P., 141

Saether, K., Hilaire, G. and Monteau, R., Dorsal and ventral respiratory groups of neurons in the medulla of the rat, 87
Sawynok, J. and Reid, A., Effect of 6-hydroxydopamine-induced lesions to ascending and descending noradrenergic pathways on morphine analgesia, 156
Shechter, Y., see Amir, S., 392
Schwartz, M., see Lavie, V., 166
Schwartzkroin, P.A., see Taube, J.S., 32
Seiden, L.S., see Commins, D.L., 253
Sewell, W.F., see Adams, J.C., 347
Shah, J., Cohen, R.S. and Pant, H.C., Inositol triphosphate-induced calcium release in brain microsomes, 1
Sharma, S., see Lavie, V., 166
Shoham, S., Ahokas, R.A., Blatteis, C.M. and Krueger, J.M., Effects of muramyl dipeptide on sleep, body temperature and plasma copper after intracerebral ventricular administration, 223
So, K.-F., see Cho, E.Y.P., 369
Solomon, A., see Lavie, V., 166
Spencer, P.S., see Oaklander, A.L., 39
Starr, A., see Kano, Y., 262
Steele, J.E., see Taylor, D.C.M., 352
Steward, O., see Busciglio, J., 244
St-Pierre, S., see Martel, J.-C., 403
Sun, X., see Jen, P.H.-S., 7

Takagi, H., see Ueda, H., 197
Taube, J.S. and Schwartzkroin, P.A., Intracellular recording from hippocampal CA_1 interneurons before and after development of long-term potentiation, 32
Taylor, D.C.M., Steele, J.E. and Gayton, R.J., An analysis of the responses of rat striatal neurones to scrotal skin temperature, 352
Teng, H., see Jen, P.H.-S., 7
Turner, J.E., Blair, J.R. and Chappel, E.T., Peripheral nerve implant effects on survival of retinal ganglion layer cells after axotomy initiated by a penetrating lesion, 46

Ueda, H., Fukushima, N., Yoshihara, Y. and Takagi, H., A Met-enkephalin releaser (kyotorphin)-induced release of plasma membrane-bound Ca^{2+} from rat brain synaptosomes, 197
Ulfhake, B., Cullheim, S., Hökfelt, T. and Visser, T.J., The combined use of immunohistochemistry and intracellular staining with horseradish peroxidase for light and electron microscopic studies of transmitter-identified inputs to functionally characterized neurons, 387

Van der Woude, T.P., see Kruisbrink, J., 76
Visser, T.J., see Ulfhake, B., 387
Vosmer, G., see Commins, D.L., 253

Weerasuriya, A., Permeability of endoneurial capillaries to K, Na and Cl and its relation to peripheral nerve excitability, 188
Weidner, C., Repérant, J., Kirpitchnikova, E., Miceli, D., Desroches, A. and Rio, J.P., Time course of degeneration of the visual system induced by spontaneous glaucoma in the albino quail (*Coturnix coturnix japonica*), 357
Weil-Fugazza, J., see Basbaum, A.I., 229
Weiss, M.H., see Hyman, S., 104
Willoughby, J.O., see Blessing, W.W., 336
Wood, P.L., see Martin, L.L., 239
Wu, J.-Y., see Kosaka, T., 119
Wurtman, R.J., see Lakher, M., 131

Yang, J., Johansen, J., Koehm, S. and Kleinhaus, A.L., In situ patch-clamp recording of calcium-activated potassium channels from an identified leech neuron, 324
Yoshihara, Y., see Ueda, H., 197
Yoshimura, M., Polosa, C. and Nishi, S., Slow IPSP and the noradrenaline-induced inhibition of the cat sympathetic preganglionic neuron in vitro, 383